

To: Egan, Robert[egan.robert@epa.gov]
Cc: Saari, Christopher A - DNR[Christopher.Saari@wisconsin.gov]; Fassbender, Judy L - DNR[Judy.Fassbender@wisconsin.gov]
From: Robinson, John H - DNR
Sent: Wed 1/20/2016 3:36:07 PM
Subject: RE: scheduling our technical mtg for Tower Standard

Bob

Let's plan on holding the 5th for the meeting. I will have Chris work with REI on getting the information pulled together. Is the intent to meet in Madison on closer to the site?

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

John Robinson

Phone: (715) 359-8932

John.Robinson@wisconsin.gov

From: Egan, Robert [mailto:egan.robert@epa.gov]
Sent: Tuesday, January 19, 2016 11:14 AM
To: Robinson, John H - DNR
Subject: scheduling our technical mtg for Tower Standard

Hi John,

How soon after our DNR/EPA meeting do you think we can get together for a Tower Standard technical discussion? If I had my preference, we (technical folks) would just stay in Madison and discuss on Feb. 5, but much depends on whether you have all the data and information you need, not to mention folks' schedules.

Please let me know what you think is possible.

Thanks.

Regards,

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)